



INDEX MAPS.

T.1N R.7W 2nd Mer.



T.2N R.7W 2nd Mer.



415

Township N. 2. North of Range N. 7 West 2nd Mer. Indiana,
Ch. Lkr.

South Boundary.

West On the South Boundary of sec. 36. T. 2. N. R. 7 W.
Over 2nd rate upland. Growth nothing; Timber Oak,
Hick, Ash, Gum, Poplar, & many of the same.
3.00 To a Run. 3 links wide, comes South.
19.00 " " No. 3 " " " "
33.00 " " No. 4 " " " "
40.00 Set a 7th support from which
Beck. 20 in. dia. beam. N 54 W. 48° 51' 48" E. 48° 51' 48"
N 40 E. 48° 51' 48" E. 48° 51' 48"
53.00 To a Run. 3 links wide, comes N. W.
65.00 To a Run. Timber Oak, Maple, Millum.
71.00 To a Run. upland. Timber Oak, Sugar, White Oak, Elm,
Poplar, & Gum.
80.00 Set a post for the cor. of sec. 35 & 36 from which
Oak. 16 in. dia. beam. N 38 E. 27° 27' links each; 73
No. 27 " " N 75 W. 35° " "

West On the South Boundary of sec. 35. T. 2. N. R. 7 W.
Over 1st rate upland; Timber Sugar, Beck. & Elm.
Poplar & Gum, but little in growth.
29.50 To a Spring run. 3 links wide, comes S. W.
40.00 Set a 7th support from which
Elm. 10 in. dia. beam. N 61 E. 40° links each; 73
Beck. 18 " " " N 39 W. 33° " "
50.50 To a Run. 10 links wide, comes S. E.
73.82 To an Oak. 25 in. dia. stands on the line.
80.00 Set a post for the cor. of sec. 34 & 35. from which

West On the South Boundary of sec. 34. T. 2. N. R. 7 W.
Over 1st rate upland 1st rate; Timber as last note.
21.00 To a Run. 70 links wide, comes S. W.
40.00 Set a 7th support

T. No. 2. N.R. No. 7 West 2nd (Mr. Ind.)

55.00 To a Muck.; Brantley & Willers
 60.00 To upland R^{pt} rate;
 80.00 Set a post for the cor of sec. 33 & 34

Week Out to South Boundary of sec. 33. T. 2. N.R. 7 W.
 Over upland R^{pt} rate; Timber Sugar, Beech, White,
 Braken, Lymn. Hickory & Spruce.
 11.50 To a Brook 75 links wide Corner South.
 24.90 To a Lymn. 24 in. dia. Stands in the river.
 28.00 To a Run. 8 links wide. Corner E. W.
 40.00 Set a post from which;
 Beech 6 in. dia. trees. S32 E. 20 links each; &
 Oak 27" " " S48 W 31 " "
 61.12 To a Beech. 23 in. dia. Stands in the river.
 80.00 Set a post for the cor of sec. 32 & 33.

Week Out to South Boundary of sec. 32. T. 2. N.R. 7 W.
 Over R^{pt} rate upland. Timber Beech, Ash, and Elm,
 and Spruce.
 35.00 To R^{pt} rate bottom land. Timber Elm, Ash, Locust.
 40.00 Set a post from which;
 Ash 14 in. dia. trees. N68 W 36 links each; &
 Hickory 18" " " S45 E 49 " "
 58.35 To an Ash. 14 in. dia. Stands in the river.
 79.20 Set a post for the cor of sec. 31 & 32 from which;
 Ash. 8 in. dia. trees. S50 E. 22 links each; and
 Elm. 8" " " S80 W 35 " "

→ Week Out to South Boundary of sec. 31. T. 2. N.R. 7 W.
 Timber Ash, Elm & Spruce.
 16.84 To an Ash. 20 in. dia. Stands in the river.
 40.00 Set a post from which;
 Ash. 25 in. dia. trees. N30 E. 28 links each; &

D. No. 2. A.R. No. 7. W. 2nd (Mn. Sur.)

417

61.54 Elm. 20 in diam. bums. S69 N. 43 links each; ~~to~~
 To an Oak. 10 in. diam. stands in the line.
 77.50 Set a post for the Range line at the foot cor off T. 1 & 2 N.
 N. 37 & 8 W.

Surveyed by
 Stephen Benton L.S.

East Boundary.

North On the East Boundary of sec. 36. T. 2. N. R. 7 W.
 20.65 To a Jack Oak. 10 in. diam. stands in the line.
 40.00 Set a post for the corner from which,
 N. Oak. 22 in. diam. bums. N 32 E. 16 links each; ~~to~~
 Ho. 33 " " " S 42 W. 32 " "
 44.00 To a Poplar. 20 in. diam. stands in the line.
 70.00 " " Swamp Oak 18 " " " " "
 80.00 Set a post for the corner at 25 & 36 from which, on
 Elm. 12 in. diam. bums. N 43 E 53 links each; ~~to~~
 Ho. 23 " " " N 40 W. 55 " "
 Sand herb on the part bottom; rest: Timber Oak, Ash
 and Gum.

North On the East Boundary of sec. 25. T. 2. N. R. 7 W.
 6.45 To a W Oak. 36 in. diam. stands in the line.
 7.37 " " Oak. 55 links each, corner N 20 W.
 18.75 " " Mid Oak. 30 in. diam. stands in the line.
 40.00 Set a post for the corner from which, on
 Elm. 13 in. diam. bums. S 71 W. 10 links each; ~~to~~
 W Oak. 10 " " " S 47 E. 31 " "
 72.86 To a W Oak. 14 in. diam. stands in the line.
 80.00 Set a post for the cor off sec. 24 & 25. from which,
 W Oak. 34 in. diam. bums. S 55 E 9 links each; ~~to~~
 Hickory 12 " " " N 69 W. 10 " "
 Sand herb bottom part west. Timber Oak, Hickory & Elm.

D. N. 2. N. R. N. of N. 2nd Mer. Ind.

North	On the East Boundary of Sec. 24. T. 2. N. R. 7 W.
22.00	To a B. Oak. — in air stands in the line.
40.00	Set a post from which, N. Oak. 6 in air. hand. N 60° E 10 links out; 1/2 Do. 7 " " " S 25° E. 33 " "
65.25	To a B. Oak. 18 in air. stands in the line.
80.00	Set a post for the cross pt. 13 & 24 from which, W. Oak. 20 in air. hand. N 67° E. 6 links out; 1/2 Do. 18 " " " N 50° W. 13 " " Lands hat barns. Timber Oak, & Hickory
North	On the East Boundary of Sec. 13. T. 2. N. R. 7 W.
10.50	To a B. Oak. 20 in air. stands in the line.
33.30	To a Gum. 10 in " " " " "
40.00	Set a post from which, W. Oak. 12 in air. hand. N 68° E. 45 links out; 1/2 Do. 14 " " " N 21° W. 12 " "
52.00	To a B. Oak. 12 in air. stands in the line.
52.06	To a Brook. 4 links wide, course W.
68.13	To a B. Oak. 21 in air. stands in the line.
80.00	Set a post for the cross pt. 12 & 13 from which, W. Oak. 20 in air. hand. S 34° E. 4 links out; 1/2 Do. 22 " " " N 39° E. 53 " " Lands hat; Timber Oak, & Hickory; Tuesday Jan 7 th 1825
North	On the East Boundary of Sec. 12. T. 2. N. R. 7 W.
29.75	To a B. Oak. 22 in air. stands in the line.
40.00	Set a post from which, W. Oak. 23 in air. hand. S 24° E. 54 links out; 1/2 Do. 18 " " " N 36° E. 41 " "
50.75	To a B. Oak. 30 in air. stands in the line.
80.00	Set a post for the cross pt. 1 & 12 from which, R. Oak. 20 in air. hand. N 30° E. 41 links out; 1/2

W Oak 12 in. diam. bund. S 67 N 56 links each
Sunde level; Timber Oak & Hick

North	On the East Boundary of Sec. 1. T. 2. N. R. 7 W.
15.57	To a Hick 12 in. diam. Stands in the line
20.50	To a locust 50 links wide, Corner N 77 W.
34.00	" " Birch 25 " " " S 20 E
34.75	To a Birch 22 in. diam. Stands in the line
40.00	Set a post from which
	W Oak 12 in. diam. runs N 82 E. 26 links each 73
	Yum. 8 " " " S 77 E. 20 " "
48.11	To a B Oak 14 in. diam. Stands in the line.
75.00	To a Birch 8 links wide, Corner S 20 W
80.00	Set a post for the cor of S. 2 & 3 N. R. 6 & 7 W. from which
	W Oak 21 in. diam. bund. East 10 links each 82
	S Oak 15 " " " N 41 W 84 " "
	Sunde barrel. under out grounds. Timber Oak & Hick
	Surveyed by
	Wm. H. Halls & Jas. F. Ford,
	L. Surveyor,

North Boundary.

West	On the South Boundary of Sec. 36. T. 3. N. R. 7 W.
	Over level 2nd rate. interval Timber Oak. Hick &
	Yum. under the Spieswood & Hazel.
8.00	W. Oak 2nd rate; Timber Oak. Hick, little right
30.06	To an Oak 9 in. diam. Stands in the line.
40.00	Set a post from which
	Oak 15 in. diam. bund. N 35 W 90 links each; 83
	no more trees near.
49.00	To a Birch 3 links wide, Corner - S.
73.00	" " 5 " " " "
80.00	Set a post for the cor of Sec. 35 & 36. from which,

T. N. 2 N. R. N. 7 W. 2nd Mer. Ind.

Oak 14 in. diam. bent. N48 W. 16 links east; 8₂
 Hick 19₄ " " N46 E. 6 " "

West Out to South Boundary of la. 35 T. 3. N. R. 7 W
 9.00 To a Run. 8 links wide, Corner S. E.
 27.27 To an Oak 15 in. diam. It stands in the line.
 40.00 Set a 1/4 sap post from which
 Oak 24 in. diam. bent. N35 E. 166 links east; 8₂
 Hick 13₄ " " N85 W. 53 " "
 58.00 To a Run. 3 links wide, Corner S. W.
 62.00 " " No. 3₄ " " S. E.
 66.38 " " Oak 16 in. diam. It stands in the line.
 80.00 Set a post for the corner 34 & 35 from which
 Hogwood 6 in. diam. bent. N35 E. 41 links east; 8₂
 Oak 18₄ " " N42 W. 92 " "

West Out to South Boundary of la. 34. T. 3. N. R. 7 W
 Same & Timber Same.
 13.00 To a Run 3 links wide, Corner S. W.
 19.50 To Indian Trace, from S. E. to S. W.
 29.00 To a Run. 6 links wide, corner S. W.
 37.50 " " No. 8₄ " " S. W.
 40.00 Set a 1/4 sap post from which
 Elm, 6 in. diam. bent. N58 E. 19 links east; 8₂
 Sugar. 6₄ " " N76 W. 40 " "
 53.85 To an Elm 12 in. diam. It stands in the line.
 68.50 " " Run. 4 links wide, Corner S. W.
 80.00 Set a post for the corner 33 & 34 from which
 Sugar. 18 in. diam. bent. N65 W. 28 links east; 8₂
 Hick. 6₄ " " N59 E. 25 " "
 Last 1/2 mile at rate land. Timber Sugar Bush Oak
 and Elm. & Oak.

T. N^o 2. N.R. N^o 7 W 2nd Mer. Ind.

Met	On the South Boundary of sec. 33. T. 3. N.R. 7 W
3.40	To a Run 4 links wide, corner S.E.
31.50	To a Run 4 " " " S.W.
40.00	Set a post from which,
	Ash. 18 in. near bend. N 71 W 35 links north &
	Box Elder 10 " " " N 14 1/2 E. 54 " "
49.50	To a Run 6 links wide, corner N.W.
50.50	" " Sec. 10 " " " N.E.
80.00	Set a post for the cor of sec. 30 & 33. From which,
	Maple. 12 in. near bend. N 14 W. 18 links north &
	Do 10 " " " N 50 1/2 E. 14 " "
This	This run is mostly 2 nd rate bottom Timber Elm, Ash, B & White Walnut Maple &c. Some upland S. rate. Timber Sugar, Buck & Elm.

Met	On the South Boundary of sec. 33. T. 3. N.R. 7 W
	2 nd rate bottom Timber Ash, Elm, Maple &c
12.00	To a Run 7 links wide, corner N
40.00	Set a post on bearing trail
40.40	To a Run 8 links wide, corner N
45.00	To 1 st rate upland Timber Sugar, Buck, B & W Wal- nut. Elm, Gum. & W Ash, marginal Spruce, Maple & Grassland.
80.00	Set a post for the cor of sec. 31 & 33 from which,
	Gum. 15 in. near bend. N 55 W 33 links north &
	B Walnut 18 " " " N 43 E. 62 " "

Met	On the South Boundary of sec. 31. T. 3. N.R. 7 W
40.00	Set a post from which,
	Hog wood 6 in. near bend. N 40 W. 20 links north &
	Buck 6 " " " N 49 E. 17 " "
54.00	To Run bottom Timber Elm Maple & Ash
80.95	Enter the Range line at the post cor of T. 3. 243 N.R. 78 W

T. N. 2. N.R. N. 7. W 2nd (Mr. Ind.)

Land same as last mile. Saturday 2nd Feb. 1805.

Surveyed by

Stephen Burtin D.S.

West Boundary

North On the East Boundary of ca. 36. T. 2. N.R. 8 W

20.00 To a locust 12 links mid, corner N.

35.10 Hoop Oak 18 in. dia. in the line.

41.00 Set a post from which,

Sugar 14 in. dia. trees N 7 E. 23 links out; 85

Elm 11 " " " S 37 W. 20 " "

44.70 To the Left Bank of the West Fork of White River

corner S 12 W. 140 links mid,

68.25 To the River again corner N 10 E W.

76.43 opposite Bank.

80.00 Set a post for the cor of ca. 25 & 36. on to make con
on a Hoop Oak 14 in. dia. one mile from Township
corner. Land R. rate; Timber Sugar, Hoop Oak, 13 Walnut
Sugar, Beech, 13 Walnut.

North On the East Boundary of ca. 25. T. 2. N.R. 8 W

5.75 To a Hoop Oak 10 in. dia. stands in the line.

34.50 To the Left Bank of White River 8 ch. mid, corner S 11 W.

49.00 " " Right " " " "

80.00 Corner in White River 850 links mid, corner S 40 E

Land R. rate; Timber Sugar, Hoop Oak, 13 Walnut
& some Pawpaw.

North On the East Boundary of ca. 24 T. 2 N.R. 8 W

7.50 In the River

7.50 Set a post on the Left Bank of White River from which

an Elm 12 in. dia. trees N 72 W 9 links out; 85

No. 9 " " " S 76 E. 33 " "

40.00 Set a post from which,

Sugar 11 in. dia. trees S 16 W 10 links out; 85

T. N. 2. M. R. N. 7 W 2nd Mer. Ind.

Reub. 14 in. diam. beam. N 13 W. 20 links each;
 69.42 To a Buttress 30 in. diam. Stands in the Riv.
 80.00 Set a post for the cor. of sec. 13 & 24 from which
 Reub. 20 in. diam. beam. N 2 E. 23 links each; &
 Reub. 24 " " " S 44 W. 50 " "
 Land flat ridges, good soil 2nd rate; well
 watered with Springs. 13th Nat. Reub. Logans
 Nov. 8th

North On the East Boundary of sec. 13. T. 2 N. R. 8 W.
 8.10 To a Reub. 24 in. diam. Stands in the Riv.
 24.50 Set a post on the Left Bank of White River from
 which, Left Map. 8 in. diam. beam. S 50 E. 8 links each;
 under, L. 24 " " " S 54 W. 19 " "
 Riv. 1250 links mid, corner S 78 W.
 47.47 To the Riv. again corner S 45 E.
 60.00 To the opposite Bank. and set a post for the cor. of sec.
 12 & 13. From which,
 Map. 18 in. diam. beam. S 50 E. 16 links each; &
 L. 18 " " " N 86 W. 20 " "
 78.90 To the Riv.; also cor. falls. 110 links in the Riv.
 Can do 2nd rate timber Reub.

North On the East Boundary of sec. 12. T. 2 N. R. 8 W.
 From the above mentioned post in Riv.
 5.00 To the Banks from the above named post
 10.00 To a Trip. ash. 10 in. diam. Stands in the Riv.
 26.50 To the Riv. corner S 15 E.
 35.85 Set post on the opposite Bank of Riv. from which,
 Left Map. 12 in. diam. beam. for the corner. N 20 E. 12
 40.00 Set a post from which a n
 Elm 8 in. diam. beam. N 44 E. 7 links each; &
 L. 12 " " " S 15 W. 24 " "

D. No 2. N.R. No 7 N. 2nd Mer. Ind:

- 45.15 To an Elm. 14 in. dia. Stands in the river.
 54.80 To a Sugar. 12 " " " " "
 80.00 Set apart for the cor. of sec. 1 & 2 from which a
 W. Ash. 11 in. dia. bears S 77° 15' E. 15 links out; to
 Sugar. 12 " " " S 79° E. 30 " "
 Lands R. rate bottom timber the same.

- North Out the East Boundary of sec. 1. T. 2 N.R. 8 W.
 10.58 To a Mulberry 26 in. dia. Stands in the river.
 40.00 Place the cor. of 1st sec. on a Mulberry 8 in. dia.
 110.70 Set apart on the Left Bank of White River from which
 a. Sycamore 8 in. dia. bears N 49° E. 30 links out; to
 do. 20 " " S 36° W. 8 " "
 147.50 To the opposite Bank of River
 58.86 To W. River Again. Come S 78° E. 17 ch. more.
 80.00 Set apart for the cor. of Towns. 2. & 3. N.R. 7 & 8 W.
 from which, Horse Chest. 12 in. dia. bears N 12° E. 35 links out;
 under do. 8 " " S 37° W. 40 " "
 Lands R. rate; timber as above.

Surveyed by
 J. S. P. & Son P.S.

Subdivisions

- North Return Sec 35 & 36. T. 2. N.R. No 8 W.
 40.00 Set apart from which
 Gum. 24 in. dia. Stands N 22° W. 25 links out; to
 W. Oak. 22 " " S 25° E. 23 " "
 77.50 To a Run 8 links out, corner. N.W.
 80.00 Set apart for the cor. of Sec. 25, 26, 35 & 36. from which,
 Gum. 12 in. dia. bears N 22° W. 67 links out; to
 W. Ash. 12 " " S 73° E. 54 " "
 Lands 2nd rate; upland generally Rolling.
 Timber Oak. Hickory, Poplar Dog wood, &c. W.S.

T. No. 2. N.R. 7 W. 2nd Mer. Ind.

Spinnock. Hazle. 1/5.

Each	On the line between Sec 25 & 26 T. 2. N.R. 7 W.
15.00	To a Run. 7 links wide, corner N.
40.00	Set the 7th sap post at an old ditch from which, Log made 8 in. diam. trees. N 56 E. 34 links wide; 1/5 W Oak 18 " " " S 30 W. 20 " "
52.00	To a Run. 10 links wide, corner N.E.
78.00	" " Do. 4 " " " N.E.
80.00	Intersect the East Boundary 148 links North of the first cross cut. 25 & 26. From the 8th 1/2 mile down. Last 1/2 mile level and not wet land. Timber. Elm, Maple, Hickory.

North	Between Sec 25 & 26 T. 2. N.R. 7 W.
16.00	To a Run. 7 links corner N.W.
28.00	" " " Brook. 20 " " N.W.
31.00	" " " Do. 30 " " " "
34.00	To a Brook. 40 links wide, corner S.W.
40.00	Set a 7th sap post from which, 1 Birch. 24 in. diam. trees. N 58 W. 47 links wide; 1/5 Sugar. 12 " " " S 33 E. 50 " "
80.00	Set a post for the cross cut. 23, 24, 25 & 26 from which, W Oak 9 in. diam. trees. N 21 W. 21 links wide; 1/5 Do. 12 " " " S 57 E. 94 " "
	This mile is 1st and 2nd rate; land; Timber Oak, Hickory and Poplar. Elm, Sugar, Ash, 1 Birch. 1/5.

Each	Between Sec 24 & 25 T. 2. N.R. 7 W.
7.50	To a Run. 2 links wide, corner S.
15.00	" " Do. 8 " " " S.W.
40.00	Set a 7th sap post from which, Maple. 12 in. diam. trees. N 23 E. 35 links wide; 1/5

T. N^o 2. N.R. N^o 7 W. 2nd (Mer. Sur.)

Maple. 7 in. diam. trees. 941 W. 25 links each;
 44.00 To a Run. 15 links wide, corner S.
 70.00 " " No. 2 " " " " S.E.
 80.00 Enter at the East Range line on East Boundary
 240 links North of the first corner of sec. 24 & 25
 Lands gently rolling 2nd rate; Timber Oak, Hickory
 and Gum. No good.

North Return Sec. 23 & 24. T. 2 N.R. 7 W.
 40.00 Set a post from which
 Gum. 9 in. diam. trees. N 30 W. 19 links each; 8
 No. 10 " " " " S 75 E. 91 " "
 53.00 To a Run. 3 links wide corner N.W.
 58.00 " " No. 6 " " " " S.W.
 80.00 Set a post from the corner of 13, 14, 23 & 24 from which are
 Elm. 12 in. diam. trees. S 25 W. 40 links each; 7
 Oak. 18 " " " " N 48 E. 43 " "
 Lands 2nd rate; Gently uneven. Timber Oak, Hickory

Cash On a Run dem line between Sec. 13 & 24 T. 2 N.R. 7 W.
 4.50 To a Run. 3 links wide, corner S.
 11.00 " " No. 5 " " " " S.W.
 40.00 Set a post at av. dist from which
 N Oak. 18 in. diam. trees. S 62 E. 19 links each; 8
 No. 10 " " " " N 45 W 76 " "
 45.00 To a Run. 5 links wide, corner S.W.
 71.00 " " No. 3 " " " " " "
 80.00 Enter at the East Boundary 472 links North of
 the first corner of 13 & 24.
 Lands & Timber same as last mile.

North Return Sec. 13 & 14. T. 2. N.R. 7 W.
 10.00 To a Run. 3 links wide, corner S.E.

T. N. 2. N.R. N. 7 W. 2nd (Mer. Sec. 2)

37.00 To a Run. 2 links mid, corner N.W.
 40.00 Set a 1/4 post from which,
 W Oak. 21 in. dia. beam. N 48 W 31 links mid; 1/2
 " 20 " " " South 23 " "
 50.00 To a Run. 6 links mid corner N.W.
 53.00 " " 6 " " " " N.W.
 80.00 Set a post for the cor of sec 11. 12. 13 & 14 from which,
 W Oak. 18 in. dia. beam. N 8 E. 56 links mid; 1/2
 W Oak. 22 " " " N 23 W. 65 " "
 Sec 2nd rate; Timber same as last mid.

East Oak Random line between Sec 12 & 13. T. 2 N. 7 W.
 20.00 To a Run. 10 links mid, corner N.
 40.00 Set a 1/4 sec. post. no bearings
 49.00 To a Run. 3 links mid, corner N.
 80.00 Intrench the East Boundary 750 links North of the
 post cor of sec 12 & 13. T. 2 N. 7 W.
 Sec 2nd rate; Timber common; Timber Oak, Hickory
 & mangro. Caddo par. River 1/2. Oct. 9. 1805.

North Return Sec 11 & 12. T. 2 N. 7 W.
 2.00 To a Run. 3 links mid, corner N.W.
 14.00 " " 4 " " " " N.W.
 23.00 " " 80 links mid, corner N.W.
 40.00 Set a 1/4 post from which,
 W Oak. 10 in. dia. beam. N 46 E. 32 links mid; 1/2
 Dogwood 6 " " " 40 W. 18 " "
 80.00 Set a post for the cor of sec 1. 2. 11. & 12 from which,
 W Oak. 12 in. dia. beam. N 68 E. 28 links mid; 1/2
 - Oak. 16 " " " 57 W. 80 " "
 Sec 2nd rate; Timber common. Timber Oak, Hickory
 & gum. 1/2.

T. N. D. N. R. N. 7 W. 2nd (Mer. Ind.?)

East On Random line between Sec. 1 & 2. T. 2 N. R. 7 W.
 6.00 To a Run. 8 links side, corner N. W.
 40.00 Set a 7th sap post at av. dist. from which,
 W. Oak. 24 in. diam. bears N 49 W. 06 links each; &
 Elm. 9 " " S 30 E. 10 " "
 45.00 To a Run. 3 links side, corner N. W.
 50.00 To a Brook. 80 " " S 20 W.
 80.00 Intersect the East Boundary 7.84 links north of the
 post cor of sec. 1 & 2
 This line is mostly poor hard upland.; thin soil.
 Timber Oak, Hickory &c. 2nd rate bottom; timber
 Elm, Oak, & Maple. &c.

North Between Sec. 1 & 2. T. 2 N. R. 7 W.
 6.00 To a Run. 6 links side, corner N. W.
 40.00 Set a 7th sap post from which
 W. Oak. 26 in. diam. bears N 74 E. 19 links each; &
 Do. 9 " " S 65 W. 13 " "
 48.00 To a Run 3 links side, corner S. E.
 70.00 " " Do. 12 " " " " "
 72. 23 Intersect the N. Boundary at the post cor of sec. 33 & 34.
 T. 3 N. R. 7 W. This run is 2nd rate land; gently
 uneven. Mostly timbered with Oak, Hickory &c.

North Return Sec. 34 & 35. T. 2 N. R. 7 W.
 10.00 To a Brook. 80 links side, corner S. W.
 40.00 Set a 7th sap post from which
 Oak. 24 in. diam. bears S 20 E. 61 links each; &
 W. Oak. 30 " " S 68 W. 38 " "
 47.00 To a Brook. 80 links side, corner S. E.
 80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from which,
 Sugar. 14 in. diam. bears S 43 W. 18 links each; &
 Do. 22 " " S 46 E. 36 " "

T. N. 2. N.R. N. of W. 2nd (Mer. Ind.)

Logwood 10 in diam. buns 249 N. 20 links each; 1₂
 Do. 6 " " " 167 N 16 " "
 56.00 To a Run. 6 links each, corner N.W.
 80.20 Intersect the N & S line at the post cor of sec. 23, 24, 25 &
 26. Land 1st rate upland; Timber Sugar, Buck,
 Oak, Ash & Poplar.

North Return Sec. 22 & 23. T. 2. N.R. 7 N
 3.00 To a Run. 12 links each, corner S.E.
 36.00 " " Do. 6 " " " S.E.
 40.00 Set a 7th support from which,
 Poplar, 18 in. diam. buns 245 N. 05 links each; 1₂
 " " " " 36.53 " "
 80.00 Set a post for the cor of sec. 14, 15, 23 & 20, from which,
 " " " " 27 N 35 links each; 1₂
 Do. 27 " " " 14 E. 85 " "
 1st rate upland; Timber Sugar, Buck, Poplar, 1₂
 October 10. 1885.

East Return Sec. 14 & 23. T. 2. N.R. 7 N
 40.05 Set the 7th support at an. each on the true line from which,
 " " " " 19 in. diam. buns 110 N. 54 links each; 1₂
 Logwood 6 " " " 23 E. 34 " "
 80.10 Intersect the N & S line at the post cor of sec. 13, 14, 23 & 24
 Land of good quality rolling and 2nd rate; Timber Oak,
 Hickory Gum. 1₂ undergrowth Sassafras & Spic. Heartsh.

North Return Sec. 14 & 15 T. 2. N.R. 7 N
 40.00 Set a 7th support from which,
 " " " " 14 in. diam. buns 161 N. 18 links each; 1₂
 Poplar 7 " " " 55 E. 42 " "
 43.50 To a Run. 6 links each, corner N.
 80.00 Set a post for the cor of sec. 10, 11, 14 & 15 from which,

T N^o 2. N.R. N^o 4 W. 2nd Mer. Ind:

Maple. 18 in. diam. trees. \$427.50 bucks each; to
 Gum. 10 " " " \$150 @ 44 " "
 Sunde 2nd rate; bottom.

Cash Return Jul 11 1874. T. D. N. 7 W.
 20.50 To a Brook. 80 bucks mtd, comes 8 W.
 39.50 To a Brook. 80 " " " 8 W.
 40.08 Set the 74 report at av. dist. on the line from which,
 in a Brook. no bearing trees
 60.50 To a Brook. 80 bucks mtd, comes 8 W.
 80.80 Interest the Meridian at the post cor of 2d. 11. 12. 13
 14 2nd rate land. ... Timber Oak, Hickory & Gum.

Arak Return Jul 10 1871 T. D. N. 7 W.
 5.00 To a Brook. 10 bucks mtd, comes 8 W. crossed same
 stream several times & over it at.
 14.00 " 14 bucks mtd, comes 8 E.
 31.00 To a Brook. 6 bucks mtd, comes 8 W.
 40.00 Set a 74 report from which,
 Logwood 8 in. diam. trees. \$527.40 bucks each; to
 Ho 6 " " " \$86 @ 28 " "
 76.00 To a Brook. 3 bucks mtd, comes 8 W.
 80.70 Set a post for the cor of 2d. 2, 3, 10 1871 from which,
 93 Oak. 24 in. diam. trees. \$697.10 bucks each; to
 Ho 20 " " " \$24 @ 20 " "
 Sunde 2nd rate; Timber Oak, Hickory ash & Gum.

Cash Return Jul 2 1871. T. D. N. 7 W.
 39.93 Set a 74 report from which 9 (at av. dist.)
 11 Oak. 12 in. diam. trees. \$4 @ 18 bucks each; to
 Ho 25 " " " \$76 @ 30 " "
 32.50 To a Brook. 12 bucks mtd, comes 8 W.
 79.80 Interest the N & S line at the post cor of 2d. 12, 11 1872

T. No 2 N.R. No 7 W 2nd (Mm. Ind.)

2nd rate upland; Limby run: Limby Oak, Hickory
Oak. Gum. &c.

North Return Jan 2 & 3 T. 2 N.R. 7 W.
40.00 Set a post from which
Poplar. 20 in diam. trunk N 27 W. 27 limbs each &c
Gum. 12 " " " S 35 E 42 " "
67.00 Crossed a Trace
72.30 Intersect the N Boundary at the foot cor off of cut.
34 & 35. T. 3 N.R. 7 W. - and 1 This mile 2nd rate
upland. Limby Oak, Hickory, &c.

North Return Jan 33 & 34 T. 2 N.R. 7 W. 2nd (Mm. &
33.00 To a Swamp; Limby Oak, Maple & Oak.
40.00 Set a post from which
Poplar. 20 in diam. trunk N 6 E. 24 limbs each &c
Sassafras 12 " " " S 58 W 17 " "
67.50 To a Brook. 15 limbs wide corner T. W.
76.00 Leave the Swamp
80.00 Set a post for the cor off cut. D. 28 33. & 34 from which
Sugar. 14 in diam. trunk N 34 W. 14 limbs each; &c
Oak. 10 " " " S 59 E 60 " "
This mile to Swamp Oak, Elm, Maple, &c 1st rate
Land. Limby Sugar, Hickory, Poplar, Elm &c.

East Return Jan 27 & 34 T. 2 N.R. 7 W.
4.50 To a Brook. 6 limbs wide, corner S. cut.
12.50 " " " " " " " "
40.00 Set a post at cor dish from which
Hickory. 10 in diam. trunk N 34 E. 21 limbs each &c
Oak. 18 " " " S 49 W 30 " "
51.00 To a Brook. 10 limbs wide corner S. W.
59.50 To a Brook. 60 " " " S. E.

J. No. 2. N.R. No 772nd (New. Sud.)

80.00 ^{at present the N+S line at}
Set apart for the cor of lat. 26, 27, 34 & 35 from which,
Sunde R. rate upland Timber Sugar, Buck,
Poplar. 1/2

North Return Sur. 27 & 28. J. 2 N.R. 77.

6.00 To Alton. 6 links ride, course E.

11.00 " " do. 6 " " " " Each

32.00 " " do. 15 " " " " Each

40.00 Set apart for the cor of lat. 21, 22, 27 & 28 from which,

Buck. 10 in. diam. beam. N33 E. 14 links each; 1/2

do. 14 " " " " " " " " " "

80.00 Set apart for the cor of lat. 21, 22, 27 & 28 from which,

N Oak. 12 in. diam. beam. S48 W. 17 links each; 1/2

do. 14 " " " " " " " " " "

This note is mostly R. rate land. Generally uneven.
Timber Oak. Hickory Buck. & Ash.

Cash Return Sur. 22 & 27 J. 2 N.R. 77.

6.00 To Alton. 5 links ride, course N.W.

37.00 To Spring and quarry of free stone.

40.00 Set apart at av. each from which,

N Oak 6 in. diam. beam. S23 E. 19 links each; 1/2

do. 12 " " " " " " " " " "

80.00 Intersub the N+S line at the first cor of lat. 22, 23, 26 & 27

This note is fresh rate land. Timber Sugar, Buck &
Oak.

North Return Sur. 21 & 22 J. 2 N.R. 77.

40.00 Set apart for the cor of lat. 21, 22, 27 & 28 from which,

Buck. 20 in. diam. beam. N32 E. 59 links each; 1/2

do. 25 " " " " " " " " " "

44.00 To Alton. 8 links ride, course N.E.

69.00 " " do. 6 " " " " " " " "

J. A. 2 N.R. N. 7 W. 3rd Mer. Ind.

80.00 Set a post for the cross road 15.16.21 & 22 from which,
 N Oak. 10 in. diam. trees. S 29 W. 41 links each; & 3
 Poplar. 21 " " " N 43 E. 32. "
 This mile is 2nd rate; upland. Timber Oak, Hickory
 and Gum.

Cash Return Sur. 15 & 22 J. 2. N.R. 7 W.

3.50 To return. 10 links wide, Course N.E.

27.00 " " Lk. 8 " " " W. W.

40.00 Set a post at av. dish from which
 Oak. 14 in. diam. trees. S 67 W. 15 links each; & 3
 Lk. 16 " " " N 40 E. 64. "

80.00 Set out the Meridian or N 75 W line at the post cor.
 of Sur. 14, 15, 22 & 23.

Same 2nd rate Sundry rolling Timber Oak,
 Hickory & Undergrowth. Set a post. North 15. Oct. 12 1885.

North Return Sur. 15 & 16. J. 2 N.R. 7 W.

40.00 Set a post from which,
 W Oak. 14 in. diam. trees. S 37 E. 26 links each; & 3
 Lk. 20 " " " N 21 W. 23. "

42.00 To a Brook. 100 links wide, Course S.W.

45.00 " " Same. " " " " " S.E.

52.00 " " Lk. " " " " " S.W.

80.00 Set a post for the cross road 9, 10, 15 & 16. From which,
 W Oak. 27 in. diam. trees. N 32 E. 24 links each; & 3
 Poplar. 18 " " " S 39 W. 49 " "
 Same 2nd rate; Timber Oak, Hickory & Gum. ash

Cash Return Sur. 10 & 15 J. 2 N.R. 7 W.

20.00 To a Run. 12 links wide, Course S.W.

40.00 Set a post at av. dish from which,
 Sycamore 36 in. diam. trees N 78 E. 16 links each;

T. No 2. N.R. No 772nd Mer. Sur.

74.50 Mulberry 14 in. diam. bend. 8877.24 links each;
To a Run 12 links side, corner J.
80.00 Intrenched the N & S line at the post coroffed. 10.11.14 & 15
R. rate of plan. Timber Sugar, Birch, Elm, Poplar,
&c many more

Arth Return Sur 9. & 10 T. 2. N.R. 77.
40.00 Set a 7/8 cap post from which
Elm 12 in. diam. bend. 14177.09 links each; &
Ash. 14 " " " 160 E. 41 " "
80.00 Set a post for the coroff. 3. 4. 9 & 10 from which,
Log. wood 8 in. diam. bend. 93477.17 links each; &
Elm. 10 " " " N. D. E. 31 " "
This note R. rate bend. Timber Ash, Elm, Poplar,
Sugar, Birch. &c.

Calb Return Sur. 3 & 10 T. 2. N.R. 77.
00.00 To a Run. 7 links side, corner J. & W.
39.98 Set a 7/8 cap post at av. dist from which,
Log wood. 9 in. diam. bend. 17277.37 links each; &
Yum. 7 " " " 133 E. 14 " "
47.00 To a Run. 12 links side, corner J. & E.
79.96 Intrench the N & S line at the post coroffed. 2. 3. 10 & 11.
Lands R. rate of plan; Timber Run as last.

Arth Return Sur. 3 & 4. T. 3. N.R. 77.
5.00 To a Run. 6 links side, corner J. & E.
10.00 " " No. 6 " " " J. & E.
13.00 " " No. 3 " " " J. & W.
40.00 Set a 7/8 cap post. from which
Walnut. 20 in. diam. bend. 15777.18 links each; &
Log wood 6 " " " 171 E. 17 " "
65.00 To a Run 8 links side, corner W.

D. N. D. N.R. N. 7 W. 2nd M. S. S.

73.70 Intercut the N.R. line at the post cor off lat. 33° 34' J.
 3. N.R. N. 7 W. This mile is mostly N. 7 W.;
 upland. Timber Sugar, Yew, Elm, Poplar, &
 some intermed Timber.

North Return Lat. 32° 33' J. 2 N.R. 7 W.

40.00 Set a 7/4 sap post from which,
 Buck. 25 in. diam. beam. N 7 W. 42 links to
 L. 30 " " " S 8 W. 27 " "

41.50 To a Run. 40 links mid, corner S W.

52.00 " " L. 6 " " " S W.

70.00 " " L. 15 " " " S W.

80.00 Set a post for the cor off lat. 28° 29' 32° 33' from which,
 Buck. 12 in. diam. beam. N 12 E. 57 links each; &
 Poplar 10 " " " S 17 W. 22 " "
 Sande P. oak; Timber Sugar, Yew, Ash, Elm,
 Elm, Locust &c. Oct. 13 1805.

East Return Lat. 28° 33' J. 2 N.R. 7 W.

2.00 To a Run. 15 links mid, corner S.

37.00 " " L. 8 " " " S W.

40.15 Set a 7/4 sap post at av. dist from which,
 Buck. 12 in. diam. beam. N 81 W. 53 links each; &
 Sugar. 14 " " " S 46 E. 52 " "

44.00 To a Run. 8 links mid, corner S W.

80.30 Intercut the N.R. line at the post cor off lat. 27° 28' 33° 34'
 Sande P. oak; gently uneven. Timber Buck, Sugar,
 Poplar, Oak & Elm. &c.

North Return Lat. 28° 29' J. 2 N.R. 7 W.

17.00 To a Run. 6 links mid, corner S E.

40.00 Set a 7/4 sap post from which,
 Buck. 15 in. diam. beam. N 42 E. 18 links mid; &

J. N. 2. N.R. N. 7 W. 2nd Mer. Ind.

50.50 Buck. 10 in. diam. trans. S 67 W. 37 links each;
To small Run. course S.E.
60.00 " " Do. Do. S.E.
80.00 Get apart for the cross at 20. 21. 28 & 29. From which,
Buck. 12 in. diam. trans. N 18 W. 56 links each; 15
Do. 12 " " " S 74 E. 57. "
Sound R. rate generally uniform. Timber Sugar, Buck.
Poplar, &c.

Each Return Jul. 21 & 28. J. 2 N.R. 7 W.
13.00 To small Run. 6 links each, course S.E.
14.50 " " Do. 6 " " " " "
18.00 To a Do. 12 " " " " "
40.15 Get the 1/4 apart at av. dist. from which,
W. Ash. 18 in. diam. trans. N 37 W. 32 links each; 15
Buck. 16 " " " S 41 E. 32 " "
65.00 To small Run. 5 links each, course S.
74.50 " " Do. 4 " " " " S.W.
80.30 Intersect the N & S line at the post cor of cal. 21. 22,
27 & 28. Sound R. rate; generally uniform. Timber
Buck. Poplar, and Ash, Oak & Hickory.

North Return Jul. 20 & 21. J. 2 N.R. 7 W.
40.00 Get a 1/4 apart from which,
Buck. 20 in. diam. trans. S 64 E. 28 links each; 15
Shalafra. 7 " " " N 28 W. 12 " "
55.00 To small Run. 6 links each, course N.W.
80.00 Get apart for the cor of cal. 16. 17. 20. & 21 from which,
Buck. 16 in. diam. trans. N 29 E. 41 links each; 15
Do. 12 " " " S 50 W. 52 " "
Sound R. rate, plain. Timber Sugar, Buck. Oak,
Poplar &c.

D. N. D. N.R. N. 7 W. 2nd Mer. Ind.

Cash Return Jul. 16 & 21. J. 2 N.R. 7 W.
 33.00 To A.R. 6 miles wide, corner N.E.
 38.00 " " 10. 6 " " " North
 40.07 Set a 7/4 cu post from which (av. dist;)
 Buck. 16 in. diam. beam N 20 E. 22 links dist; 1/3
 Ho. 14 " " " 98 W. 32 " "
 60.50 To A.R. 4 miles wide, corner N.W.
 80.14 Intersat the N & S line at the post on offrs 15, 16, 21.
 & 22. Land R. h. rate; Timber same as last m.

North Return Jul. 16 & 17 J. 2 N.R. 7 W.
 1.50 To A.R. 4 miles wide, corner N.W.
 40.00 Set a 7/4 cu post from which
 43.58 W. Oak. 16 in. diam. beam. N 28 E. 16 links dist; 1/3
 To A. Brook 70. lbs. m. ch. 6. 9 W.
 Sum. 14 " " " 98 W. 24 " "
 80.00 Set a post for the cor offrs. 8, 9, 16, & 17 from which
 Buck. 18 in. diam. beam N 13 E. 65 links dist; 1/3
 Ho. 18 " " " 536 W. 29 " "
 Land R. h. rate; Timber Buck, Sugar, Ash, Poplar,
 October. 14. 1805.

Cash Return Jul. 9 & 16. J. 2 N.R. 7 W.
 17.50 To A. Brook 4 miles wide, corner J.W.
 40.00 Set a 7/4 cu post from which (av. dist;)
 Maple. 9 in. diam. beam N 26 W. 16 links, dist; 1/3
 Ho. 9 " " " 926 E. 26 " "
 80.00 Intersat the N & S line at the post on offrs. 9, 10, 15 & 16.
 This m. is hard and R. h. rate; Land
 Timber Buck, Sugar, Poplar, Oak, 1/3.

North Return Jul. 8 & 9 J. 2 N.R. 7 W.
 33.50 To A.R. 15 miles wide, corner N.W.
 40.00 Set a 7/4 cu post from which

T. N. 2 N. R. N. 7 W. 2nd (Mn. Ind.?)

69.50 To M. Bayou 200 links side, corner S.E.
 77.00 To a Pond
 80.00 Set the post for the cor of lvs. 29, 30, 31 & 32 *Quercus sp.*
 This mile is level bottom. Cuts timber Ash, Elm,
 Maple, &c. rather low and wet.

Cash Return Jan 29 & 32 T. 2 N. R. 7 W.
 0.00 Pond.
 3.00 Leave the pond
 40.00 Set the 1st & 2nd post at av. dist from which
 1st post. 16 in air. beam. N 15 E. 25 links each; &c
 No. 21, " " S 50 E. 29, " "
 55.00 To a Run. 12 links side, corner N.W. from water.
 80.00 Intersect the Meridian at the post cor of lvs. 28, 29, 30,
 & 31. This mile is rather upland. Timber Sugar
 & 2nd, Ash, Elm &c

Wash Return Jan 30 & 31 T. 2 N. R. 7 W.
 24.20 To a Brook. 150 links side, corner S.E.
 40.00 Set a 1/4 section from which
 Ash 12 in air. beam. S 33 W. 11 links each; &c
 No. 12, " " N 13 E. 31, " "
 51.50 To a Run 150 links side, corner S.
 77.65 Intersect the West Boundary at an Ash. tree cor of
 lvs. 25 & 36. T. 2 N. R. 8 W.
 Cuts level bottom. Timber Ash, Elm, Maple, &c.
 Cuts rather low and wet

Wash Return Jan 29 & 30 T. 2 N. R. 7 W.
 20.00 To a Spring Run corner N.W. from water.
 38.00 To a Run. 15 links side corner S.W. from water.
 40.00 Set a 1/4 section from which
 Post. 6 in air. beam N 14 W. 14 links each; &c

J. D. M. R. No. 7 (W. 2nd) (M. S. S. S.)

441

80.00 Buck. 8 in. diam. beam. N60E. 3 links each;
 Set a post for the cor of cas. 19. 20 29 & 30 from which,
 a Log work 8 in. diam. beam. S50E. 21 links each; &
 W. Walnut. 9" " " N40W. 44" "
 Lande R. rate of plane; Timber Sugar. Buck. Rail
 on de Poplar. Walnut.

Cash Return Jul 20 & 29 J. D. M. R. 7 W.
 28.50 To a Rm. 10 links mid. beam. J. W.
 40.00 Set a 7/8" post from which,
 Buck. 12 in. diam. beam. S60W. 25 links each; &
 Sugar 8 " " " N9W. 16 " "
 47.00 To a Rm. 4 links mid. beam. J. W.
 78.00 " " " 4 " " " South.
 80.00 To a post for the cor of cas. 19. 21. 28 & 29. from which,
 Lande R. rate; Timber Sugar, Buck, Ash, Elm, &

Wash Return Jul 19 & 30. J. D. M. R. 7 W.
 9.00 To a Rm. 4 links mid. beam. S. E.
 40.00 Set a 7/8" post from which,
 Buck. 9 in. diam. beam. S34W. 24 links each; &
 R. 12 " " " N. 36 E. 49. "
 43.00 To a Rm. 5 links mid. beam. S. W.
 66.30 To a Buck on the Left Bank of W. River which
 stands for the cor of cas. 19 & 30 from which,
 Sugar, 10 in. diam. beam. N12E. 38 links each; &
 Oak. 9" " " S56E. 23" "
 Lande R. rate; Timber Buck, Sugar, Poplar,
 Ash. Gum. &.

North Return Jul 19 & 20. J. D. M. R. 7 W.
 40.00 Set a 7/8" post from which,
 Buck. 12 in. diam. beam. S7W. 27 links each; &

J. No 2. N.R. N. 7 W. 2nd (Mow. Ind.)

No other trees near.

51.00 To a Run 5 miles wide, corner N. E.
 58.00 " " No. 5 " " " N.W.
 80.00 Set a post for the cor. of 17, 18, 19 & 20 from which,
 Buck. 16 in. diam. trees 443 E. 17 miles wide; to
 No. 18 " " " N 51 W. 32 " "
 Land N. E. rate upland Lumber Sugar,
 R. Walnut, Poplar, Elm &c.

Cash Return Jul. 17 & 20 J. 2 N.R. 7 W.
 26.50 To a Run. 4 miles wide, corner N. E.
 30.00 " " No. 5 " " " N.W.
 40.00 Set the 7th post at an. wide from which,
 Buck. 10 in. diam. trees 558 W. 42 miles wide; to
 No. 16 " " " N 51 E. 21 " "
 55.50 To a Run. 6 miles wide, corner N. E.
 80.00 Interest the N 51 W. at the post cor. of Jul. 16, 17
 20 & 21 Land N. E. rate upland; Lumber Sugar,
 Oak &c.

Wash Return Jul 18 & 19 J. 2 N.R. 7 W.
 7.00 To a Run. 8 miles wide, corner N.W.
 40.00 Set a post from which,
 Buck. 10 in. diam. trees 550 W. 28 miles wide; to
 No. 18 " " " N 35 E. 49 " "
 42.00 To a Run. 6 miles wide, corner N.W.
 63.00 " " No. 6 " " " N.W.
 78.45 Interest the N 51 W. boundary 116 miles North of the
 post cor. of Jul. 13 & 24 J. 2 N.R. 8 W.
 Land N. E. rate; Lumber Sugar, Buck, Poplar, Elm &c
 Oct. 16th 1825.

From the above water cabin post stands; from which
 a Wash. 18 in. diam. tree 942 E. 39 miles wide; to

T. N. 2. N.R. N. 7. 2nd. M. Ind.

Sugar. 12 in. diam. bund. N 65 E. 11 links out;

Anth Return Jul 17 & 18 T. 2 N.R. 7 W.
 8.00 To a Run. 7 links out, under G.E.
 32.00 To a Brook. 15 " " " G.W.
 40.00 Set a 7th sap post from which;
 Buck. 8 in. diam. bund. G 9 E. 10 links out; 45
 Ho. 6 " " " N 30 W. 26 " "
 49.50 To a Brook 70 links out, under Wash
 80.00 Set a post for the cor of lvs. 7, 8, 17 & 18 from which;
 Buck. 8 in. diam. bund. G 57 E. 43 links out; 49
 Sugar. 9 " " " N 57 W. 30 " "
 Lumber R. rate upland Lumber same as last mile.

Calh Return Jul 8 & 17 T. 2 N.R. 7 W.
 34.00 To a Brook 20 links out, under G.W.
 40.00 Set a 7th sap post at av. dist from which a
 Buck. 14 in. diam. bund. N 29 W. 21 links out; 45
 Run. 12 " " " S 21 E. 34 " "
 38.50 To a Run. 6 links out, under G.
 56.50 " " Ho. 3 " " " G.W.
 80.00 Intersect the N & S line at the foot cor of lvs. 8, 9.
 16 & 17 Lumber R. rate Lumber uneven.
 Lumber Sugar. Buck. Poplar. Elm &c.

West Return Jul 7 & 8. T. 2 N.R. 7 W.
 40.00 Set a 7th sap post two bearing lines near
 this 7 mile thick undergrowth. Lumber mostly killed
 by fire.
 63.80 To White River Left Bank bund set a post for the
 cor of lvs. 7 & 18. from which;
 Buck. 8 in. diam. bund. N 69 W. 15 links out; 45
 Ho. 16 " " " S 72 E. 29 " "

T. No. 2. N.R. N. 7 W. 2nd Mn. Ind.

Land R. rate; Timber Sugar, Birch, Elm, & Poplar.

North Return Sec. 7 & 8 T. 2 N.R. 7 W.
 19.00 To spring
 40.00 Set a 7/8 support from which,
 Log made 7 in. dia. beam N 48 W. 32 links each; 8
 W Oak. 12 " " " S 56 E. 13 " "
 80.00 Set a post for the cor of cor. 5, 6, 7, & 8 from which,
 Sugar. 14 in. dia. beam. S 36 E. 35 links each; 8
 Birch. 16 " " " N 72 W 41 " "
 R. Rate as per a. Timber same as last mile.

East Return Sec. 5 & 8. T. 2 N.R. 7 W.
 25.00 To a Run 6 links side, corner S.E.
 35.50 " " do 6 " " " "
 40.00 Set a 7/8 support at av. end from which,
 Gum. 13 in. dia. beam. N 21 E. 31 links each; 8
 Birch. 10 " " " S 44 W 49 " "
 62.00 To a Run. 6 links side, corner S.E.
 80.00 Intersub the N 75 line at the first cor of sec 4, 5, 8 & 9
 Land R. rate; Timber Sugar, Birch, Poplar,
 S. T. 2 N.R. 7 W.

West Return Sec. 6 & 7 T. 2. N.R. 7 W
 17.00 To a Run. 4 links side, corner N.W.
 38.00 " " do. 4 " " " N.W.
 40.00 Set a 7/8 support from which
 Birch. 12 in. dia. beam. N 58 E 41 links each; 8
 do. 9 " " " S 80 W 20 " "
 51.00 To a Run. — links side, corner N.W.
 67.00 " " do. 3 " " " N.W.
 79.97 Set out the West Boundary 757 links North
 of the first cor off sec. 1. & 12 T. 2 N.R. 8 W and also

T. N. 2. A. R. N. 7. W. 2nd (Mer. Land)

Post for the cor of sec 6 & 7 from which,
 Reel. 9 in. dist. from. 479 E. 21 links north; & 3
 Elm. 8 " " " N 32 E. 24 " "
 N. rate of place Timber Reel Sugar, Ash, Pop
 low. Gum. & S. Oct. 17. 1805.

North Western Sec 5 & 6. T. 2. N. R. 7. W.
 40.00 Set a 7th post from which,
 Reel. 14 in. dist. from. N 43 E. 13 links north; & 3
 Ho. 22 " " " S 56 W. 46 " "
 41.00 To a Run. 6 links wide, corner N. W.
 54.00 " " Ho. 4 " " " S. W.
 74.80. Intersect the N. W. boundary at a post cor of sec. of
 31.530 T. 3. N. R. 7. W.
 Land N. rate; Timber Sugar, Reel Poplar, Gum.
 & S.

Manders of the West Branch of White River
 Commenced on the Range line. in the West Boundary of
 sec. 6. T. 2. N. R. 7. W. thence up stream; Left Bank.

N 85 E. 16.00
 N 57 E. 12.00 Sec. 6.
 N 35 E. 11.00
 N 45 E. 12.00 at 350 links a Run 4 links wide from N. E.
 N 83 W. 24.00 Intersect the West Boundary of sec. 6. T. 2. N. R. 7. W.
 at the post. Thence from the post cor of
 sec. 7. & 18. down stream Left Bank

N 40 W. 5.00
 N 63 W. 5.00 Sec. 18.
 N 78 W. 7.70 Intersect the West Boundary of sec. 18. T. 2. N. R. 7. W.
 thence from the above named post betw. Sec.
 7 & 18. up the River on the Left Bank. in Sec 7

T. N. 2 N.R. N. 7 W 2nd Mer. Ind.

N 45 E. 2.00

N 11 E. 8.50

N 15 W. 6.50

In Sec. 7.

N 32 W. 10.00

N 50 W. 13.85 Intersect the West Boundary of Sec. 7. T 2 R 7 W

Meanders continued from the fork on the Range line
in the West Boundary of Sec. 18. South Bank of the River
thence up stream Left Bank.

N 50 E. 10.00 at 9.00 at fork. 150 yds wide from N.E.

N 20 E. 5.00

N 40 W. 8.00

N 73 1/2 W. 4.50 Intersect the West Boundary of Sec. 18. T 2 R 7 W
23.50 North to the mouth of the River.

Meanders continued from the fork on line between Sec.
18 & 19 thence up stream on the Left Bank.

N 37 W. 6.50

N 70 1/2 W. 7.10 Intersect the West Boundary of Sec. 19. T 2 R 7 W

From the fork between Sec. 19 & 30 thence down stream
in Sec. 30

S 6 E. 9.00

S 10 W. 8.00

S 32 W. 8.00

S 52 3/4 W. 13.40 Intersect the West Boundary of Sec. 30. T 2 R 7 W

From the fork in the West Boundary of Sec. 31; 280 yds
South of the cor of Sec. 30 & 31. T 2 R 7 W. thence
down stream in Sec. 31.

S 50 E. 8.50

S 30 E. 5.00

South 8.00 at 350 channel 70 yds wide from N.E.

S 28 W. 15.00

S 57 W. 2.06 Intersect the West Boundary of Sec. 31. T 2 R 7 W

I N. 2 A.R. N. 7 W. 2nd Mer. And. ⁴⁴⁷

Checked by
Stephen R. Benton L.S.

I certify that the foregoing Transcript of the field
notes of I N. 2 A.R. N. 7 W. 2nd Mer. And.
has been compared with the Original notes on file
in this Office and found to be correct.

Surveyor General's Office
Cincinnati, June 25. 1844

E. S. D. A. Jones
Sur. General.